

# EnviroTest Laboratories, Inc.

## CHAIN OF CUSTODY

Lab Name  
Address & Phone

EnviroTest Laboratories  
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

REPORT# (Lab Use Only)

110332

PROJECT REFERENCE Goshen CSD - Intermediate School	PROJECT NO.	MATRIX TYPE	REQUIRED ANALYSES	PAGE 1 of 6
ENVIROTEST PROJECT MANAGER Debra Bayer	PO NUMBER	Other SOLID OR SEMISOLID D (Drinking Water) or W (Waste Water) Indicate	40ml Vials HCl Liter Amber HCl 250ml Plastic Nitric Acid Liter Plastic 250ml Plastic Sulfuric Acid 250ml Plastic Terra Core Other	TURNAROUND TIME
CLIENT (SITE) PM Jack DeGraw	CLIENT PHONE 845-781-4887	AQUEOUS (WATER) COMPOSITE (C) OR GRAB (G) INDICATE	Total # of Containers	NORMAL
CLIENT NAME Orange-Ulster BOCES	christy.fischer@ouboces.org	OTHER Specify	NUMBER OF CONTAINERS SUBMITTED	QUICK
CLIENT ADDRESS 53 Gibson Road, Goshen, NY 10924			# OF COOLERS	VERBAL
COMPANY CONTRACTING THIS WORK (if applicable)				

SAMPLE DATE	TIME	SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	MATRIX TYPE	REQUIRED ANALYSES	NUMBER OF CONTAINERS SUBMITTED	REMARKS
9/14/16	522	GIS Caf� Water Cooler	G	D	40ml Vials HCl	1	Lead (DW 200.8)
9/14/16	544	GIS Custodial Closet o/s Caf� Slop Sink	G	D	Liter Amber HCl	1	Lead (DW 200.8)
9/14/16	544	GIS Custodial Break Room Bath Sink	G	D	250ml Plastic Nitric Acid	1	Lead (DW 200.8)
9/14/16	638	GIS Main Office Womens Bath Sink	G	D	Liter Plastic	1	Lead (DW 200.8)
9/14/16	638	GIS Main Office Mens Bath Sink	G	D	250ml Plastic Sulfuric Acid	1	Lead (DW 200.8)
9/14/16	557	GIS Girls Bath Sink o/s Auditorium	G	D	250ml Plastic Nitric Acid	1	Lead (DW 200.8)
9/14/16	557	GIS Boys Bath Sink o/s Auditorium	G	D	Liter Plastic	1	Lead (DW 200.8)
9/14/16	639	GIS Nurse Bathroom Sink	G	D	250ml Plastic Sulfuric Acid	1	Lead (DW 200.8)
9/14/16	640	GIS Nurse Sink	G	D	Liter Plastic	1	Lead (DW 200.8)
9/14/16	635	GIS Library Work Room Sink	G	D	250ml Plastic Nitric Acid	1	Lead (DW 200.8)
9/14/16	633	GIS Library School Store (AV ROOM) Sink	G	D	Liter Plastic	1	Lead (DW 200.8)
9/14/16	608	GIS Atrium Water Cooler	G	D	250ml Plastic Sulfuric Acid	1	Lead (DW 200.8)
9/14/16	609	GIS Faculty Room Sink	G	D	Liter Plastic	1	Lead (DW 200.8)
9/14/16	610	GIS Girls Gang o/s 201 Sink 1	G	D	250ml Plastic Nitric Acid	1	Lead (DW 200.8)
9/14/16	611	GIS Girls Gang o/s 201 Sink 2	G	D	Liter Plastic	1	Lead (DW 200.8)
9/14/16	612	GIS Girls Gang o/s 201 Sink 3	G	D	250ml Plastic Sulfuric Acid	1	Lead (DW 200.8)

RELINQUISHED BY (SIGNATURE) <i>[Signature]</i>	DATE 9/16/16	TIME 8:48	COMPANY BOCES
SAMPLED BY (SIGNATURE) <i>[Signature]</i>	DATE 9/14/16	TIME 6:40	COMPANY cc
RELINQUISHED BY (SIGNATURE) <i>[Signature]</i>	DATE	TIME	COMPANY

RECEIVED FOR LABORATORY BY (SIGNATURE) <i>[Signature]</i>	DATE 9/16/16	TIME 8:48	CUSTODY INTACT YES NO	COOLER TEMP (C) 20.0	LABORATORY REMARKS ICE (Y/N) pH CL2
RECEIVED BY (SIGNATURE)	DATE	TIME	COMPANY	RECEIVED BY (SIGNATURE)	DATE
RECEIVED BY (SIGNATURE)	DATE	TIME	COMPANY	RECEIVED BY (SIGNATURE)	DATE

161446  
AE  
9/16/16

18 #3  
\*Prepreserved by ETL w/ HNO3 man'f by Fisher Chemical, lot #161446

# EnviroTest Laboratories, Inc.

## CHAIN OF CUSTODY

Lab Name  
Address & Phone

EnviroTest Laboratories  
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

REPORT# (Lab Use Only)

110332

PROJECT REFERENCE Goshen CSD - Intermediate School	PROJECT NO.	MATRIX TYPE	REQUIRED ANALYSES	PAGE of
ENVIROTEST PROJECT MANAGER Debra Bayer	PO NUMBER	SCUP OR SEMISOLID	250ml Plastic	2
CLIENT (SITE) PM Jack DeGraw	CLIENT PHONE 845-781-4887	D (Drinking Water) or W (Waste Water) (Indicate)	Liter Plastic	6
CLIENT NAME Orange-Ulster BOCES	CLIENT FAX christy.fischer@oubooces.org	AQUEOUS (MATRIX)	250ml Plastic Nitric Acid	
CLIENT ADDRESS 53 Gibson Road, Goshen, NY 10924		COMPOSITE (C) OR GRAB (G) (MOCKITE)	Liter Amber HCl	
COMPANY CONTRACTING THIS WORK (if applicable)		OTHER SPECIFY	40ml Vials HCl	

SAMPLE DATE	TIME	SAMPLE IDENTIFICATION	NUMBER OF CONTAINERS SUBMITTED							REMARKS
			Total # of Containers	40ml Vials HCl	Liter Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	Liter Plastic	250ml Plastic	
9/14/16	549	GIS Kitchen Back Wash Station Sink 1	1			1				Lead (DW 200.8)
9/14/16	549	GIS Kitchen Back Wash Station Sink 2	1			1				Lead (DW 200.8)
9/14/16	549	GIS Kitchen Front Wash Station Sink 1	1			1				Lead (DW 200.8)
9/14/16	549	GIS Kitchen Front Wash Station Sink 2	1			1				Lead (DW 200.8)
9/14/16	546	GIS Kitchen Pot Filler (NEW/Temporary)	1			1				Lead (DW 200.8)
9/14/16	548	GIS Kitchen Island Prep Sink	1			1				Lead (DW 200.8)
9/14/16	543	GIS Kitchen Back Hand Wash Sink	1			1				Lead (DW 200.8)
9/14/16	544	GIS Kitchen Bathroom Sink	1			1				Lead (DW 200.8)
9/14/16	549	GIS Outside Slop Room o/s Kitchen	1			1				Lead (DW 200.8)
9/14/16	623	GIS Boys Gang Bath o/s 220 Sink 1	1			1				Lead (DW 200.8)
9/14/16	623	GIS Boys Gang Bath o/s 220 Sink 2	1			1				Lead (DW 200.8)
9/14/16	623	GIS Boys Gang Bath o/s 220 Sink 3	1			1				Lead (DW 200.8)
9/14/16	624	GIS HC Bath Sink o/s 220	1			1				Lead (DW 200.8)
9/14/16	621	GIS Water Cooler o/s 208	1			1				Lead (DW 200.8)
9/14/16	629	GIS Water Cooler o/s 229	1			1				Lead (DW 200.8)
9/14/16	627	GIS Water Cooler o/s 225	1			1				Lead (DW 200.8)
RELINQUISHED BY (SIGNATURE)			DATE	TIME	COMPANY	RECEIVED BY (SIGNATURE)	DATE	TIME	COMPANY	
<i>[Signature]</i>			9/16/16	848	BOCES	<i>[Signature]</i>				
SAMPLED BY (SIGNATURE)			DATE	TIME	COMPANY	RECEIVED BY (SIGNATURE)	DATE	TIME	COMPANY	
<i>[Signature]</i>			9/14/16	640	C	<i>[Signature]</i>				
RECEIVED BY (SIGNATURE)			DATE	TIME	COMPANY	RECEIVED BY (SIGNATURE)	DATE	TIME	COMPANY	
<i>[Signature]</i>						<i>[Signature]</i>				

RECEIVED FOR LABORATORY BY (SIGNATURE)	DATE	TIME	CUSTODY INTACT	COOLER TEMP (C)	LABORATORY REMARKS
<i>[Signature]</i>	9/16/16	848	YES	20.0	* Preserved by ETL w/ H2O2 mant by Fisher Chemical, lot # 161446 AE

17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32

9/16/16



# EnviroTest Laboratories, Inc.

## CHAIN OF CUSTODY

Lab Name  
Address & Phone

EnviroTest Laboratories  
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

REPORT# (Lab Use Only)

110332

PROJECT REFERENCE Goshen CSD - Intermediate School	PROJECT NO.	MATRIX TYPE	REQUIRED ANALYSES	PAGE # of
ENVIROTEST PROJECT MANAGER Debra Bayer	PO NUMBER	SOLID OR SEMISOLID	250ml Plastic Sulfuric Acid	6
CLIENT (SITE) PM Jack DeGraw	CLIENT PHONE 845-781-4887	D (Drinking Water) or W (Waste Water) Indicate	Liter Plastic	
CLIENT NAME Orange-Ulster BOCES	CLIENT FAX christy.fischer@oubooces.org	AQUEOUS (WATER)	250ml Plastic Nitric Acid	
CLIENT ADDRESS 53 Gibson Road, Goshen, NY 10924		COMPOSITE (C) OR SRAB (G) M/CARE	Liter Amber HCl	
COMPANY CONTRACTING THIS WORK (if applicable)		OTHER SPECIES	40ml Vials HCl	

SAMPLE	SAMPLE IDENTIFICATION		COMPOSITE (C) OR SRAB (G) M/CARE	TIME	DATE	RECEIVED BY: (SIGNATURE)	DATE	COMPANY	REMARKS
	DATE	TIME							
49	9/14/16	613	GIS HC Bath Sink o/s 200	G					Lead (DW 200.8)
50	9/14/16	614	GIS Boys Gang Bath o/s 200 Sink 1	G					Lead (DW 200.8)
51	9/14/16	614	GIS Boys Gang Bath o/s 200 Sink 2	G					Lead (DW 200.8)
52	9/14/16	614	GIS Boys Gang Bath o/s 200 Sink 3	G					Lead (DW 200.8)
53	9/14/16	606	GIS 100 Sink	G					Lead (DW 200.8)
54	9/14/16	606	GIS 103 Sink	G					Lead (DW 200.8)
55	9/14/16	635	GIS 122 Water Cooler	G					Lead (DW 200.8)
56	9/14/16	631	GIS 127 Sink	G					Lead (DW 200.8)
57	9/14/16	629	GIS 128 Sink	G					Lead (DW 200.8)
58	9/14/16	630	GIS 129 Sink	G					Lead (DW 200.8)
59	9/14/16	625	GIS 131 Sink	G					Lead (DW 200.8)
60	9/14/16	625	GIS 132 Sink	G					Lead (DW 200.8)
61	9/14/16	618	GIS 108 Bath Sink	G					Lead (DW 200.8)
62	9/14/16	617	GIS 108 Sink	G					Lead (DW 200.8)
63	9/14/16	630	GIS 130 Bubbler	G					Lead (DW 200.8)
64	9/14/16	630	GIS 130 Sink	G					Lead (DW 200.8)

PREVIOUSLY RECEIVED BY: (SIGNATURE) <i>Debra Bayer</i>	DATE 9/14/16	TIME 8:48	COMPANY Cheases
SAMPLE RECEIVED BY: (SIGNATURE) <i>Debra Bayer</i>	DATE 9/14/16	TIME 6:40	COMPANY "
RECEIVED BY: (SIGNATURE)	DATE	TIME	COMPANY

RECEIVED BY: (SIGNATURE) <i>Debra Bayer</i>	DATE 9/14/16	TIME 8:48	COMPANY Cheases
RECEIVED BY: (SIGNATURE)	DATE	TIME	COMPANY

LABORATORY REMARKS: ICE (Y/N) pH CL2 Reviewed by

LABORATORY NO. 12 #3

COOLER TEMP (C) 20.0

DATE 9/14/16

TIME 8:48

COMPANY Cheases

RECEIVED BY: (SIGNATURE) *Debra Bayer*

DATE 9/14/16

TIME 8:48

COMPANY Cheases

RECEIVED BY: (SIGNATURE)

DATE

TIME

COMPANY

Preserved by ETL with 20% resin bag. Fisher Chemical lot # 161446  
AS 9/14/16

# EnviroTest Laboratories, Inc.

## CHAIN OF CUSTODY

Lab Name  
Address & Phone

EnviroTest Laboratories  
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

REPORT# (Lab Use Only)

110332

PROJECT REFERENCE Goshen CSD - Intermediate School	PROJECT NO.	MATRIX TYPE	PAGE 5 of 6
ENVIROTEST PROJECT MANAGER Debra Bayer	P.O. NUMBER	OTHER	TURNAROUND TIME
CLIENT (SITE) PM Jack DeGraw	CLIENT PHONE 845-781-4887	OTHER	NORMAL
CLIENT NAME Orange-Ulster BOCES	CLIENT FAX	OTHER	QUICK
	christy.fischer@oubooces.org	OTHER	VERBAL

CLIENT ADDRESS  
53 Gibson Road, Goshen, NY 10924  
COMPANY CONTRACTING THIS WORK (if applicable)

SAMPLE DATE	TIME	SAMPLE IDENTIFICATION	REQUIRED ANALYSES							REMARKS
			40ml Vials HCl	Liter Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	Liter Plastic	Terra Core	Other	
65	9/14/16	622								Lead (DW 200.8)
66	9/14/16	607								Lead (DW 200.8)
67	9/14/16	616								Lead (DW 200.8)
68	9/14/16	622								Lead (DW 200.8)
69	9/14/16	622								Lead (DW 200.8)
70	9/14/16	616								Lead (DW 200.8)
71	9/14/16	616								Lead (DW 200.8)
72	9/14/16	622								Lead (DW 200.8)
73	9/14/16	622								Lead (DW 200.8)
74	9/14/16	634								Lead (DW 200.8)
75	9/14/16	634								Lead (DW 200.8)
76	9/14/16	637								Lead (DW 200.8)
77	9/14/16	637								Lead (DW 200.8)
78	9/14/16	633								Lead (DW 200.8)
79	9/14/16	633								Lead (DW 200.8)
80	9/14/16	624								Lead (DW 200.8)

RECEIVED BY (SIGNATURE) <i>[Signature]</i>	DATE 9/16/16	TIME 8:48	COMPANY BOCES
RECEIVED BY (SIGNATURE) <i>[Signature]</i>	DATE 9/14/16	TIME 6:40	COMPANY "
RECEIVED BY (SIGNATURE)	DATE	TIME	COMPANY

RECEIVED FOR LABORATORY BY (SIGNATURE)  
*[Signature]*

DATE  
9/16/16

TIME  
04:48

CUSTOMY INTACT  
YES NO

COOLER TEMP (C)  
20.0

LABORATORY REMARKS: ICE (Y/N) pH CL2

LABORATORY REMARKS: \*Preserved by ETL with HVE's made by Fisher Chemical lot # 161446  
23 9/16/16

