



CHAIN OF CUSTODY

REPORT# (Lab Use Only)
11502

EnviroTest Laboratories
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

Lab Name
Address & Phone

PROJECT REFERENCE: CJ Hooker Middle School		PROJECT NO:	MATRIX TYPE:
ENVIROTEST PROJECT MANAGER: Debra Bayer		PROJECT LOCATION: Goshen, NY	OTHER SPECIFY:
CLIENT (SITE) PM: Jack DeGraw		TOWN: Goshen, NY	OTHER SPECIFY:
CLIENT NAME: Orange-Ulster BOCES		CLIENT PHONE: 845-781-4887	OTHER SPECIFY:
CLIENT ADDRESS: 53 Gibson Road, Goshen, NY 10924		CLIENT FAX:	OTHER SPECIFY:
COMPANY CONTRACTING THIS WORK (if applicable):		OTHER SPECIFY:	

DATE	TIME	SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) (M) (NOTE: AQUEOUS (WATERS) INDICATE (CHANGING WEATHER OR IV (WASTE WATER) INDICATE SOLID OR SEMISOLID)	REQUIRED ANALYSES										NUMBER OF CONTAINERS SUBMITTED	REMARKS	
				40ml Vials HCl	Liter Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	Liter Plastic	250ml Plastic	Terra Core	Other	Other	Other			
10/5/16	608	Boys gang bath sink o/s 204 Sink 1	G												1	Lead (DW 200.8)
10/5/16	608	Boys gang bath sink o/s 204 Sink 2	G												1	Lead (DW 200.8)
10/5/16	608	Boys gang bath sink o/s 204 Sink 3	G												1	Lead (DW 200.8)
10/5/16	610	Faculty Mens Bath by 204	G												1	Lead (DW 200.8)
10/5/16	609	Water Cooler o/s 204	G												1	Lead (DW 200.8)
10/5/16	604	Boys Gang Bath by 134 Sink 1	G												1	Lead (DW 200.8)
10/5/16	604	Boys Gang Bath by 134 Sink 2	G												1	Lead (DW 200.8)
10/5/16	605	Boys Gang Bath by 134 Sink 3	G												1	Lead (DW 200.8)
10/5/16	613	225 Bathroom Sink	G												1	Lead (DW 200.8)
10/5/16	613	Water Cooler o/s 225	G												1	Lead (DW 200.8)
10/5/16	612	Female Faculty Bath/Storage #5 Sink	G												1	Lead (DW 200.8)
10/5/16	611	215 Teachers Desk Sink	G												1	Lead (DW 200.8)
10/5/16	543	104 Sink	G												1	Lead (DW 200.8)
10/5/16	549	BOCES Athletics Kitchen Sink	G												1	Lead (DW 200.8)
10/5/16	550	BOCES Athletics Kitchen Osmosis Filler @ Sink	G												1	Lead (DW 200.8)
10/5/16	547	Womens Bath Sink @ Auditorium Entrance	G												1	Lead (DW 200.8)
10/5/16	548	Main Water Connection Ball Valve (auditorium Entrance)	G												1	Lead (DW 200.8)
10/5/16	544	Water Cooler O/s Auditorium	G												1	Lead (DW 200.8)
10/5/16	546	Mens Bath Sink @ Auditorium Entrance	G												1	Lead (DW 200.8)
10/5/16	550	Basement Sink by Old Boiler Room	G												1	Lead (DW 200.8)

RELINQUISHED BY (SIGNATURE): <i>[Signature]</i>	DATE: 10/5/16	TIME: 6:08	COMPANY: outback
RECEIVED BY (SIGNATURE): <i>[Signature]</i>	DATE: 10/17/16	TIME: 1:55	COMPANY: outback

RECEIVED FOR LABORATORY BY (SIGNATURE): <i>[Signature]</i>	DATE: 10/17/16	TIME: 1:55	CUSTOMER INTACT: YES	COOLER TEMP (C): 95.0
LABORATORY REMARKS: ICE (V_N) pH CLZ Received by: <i>[Signature]</i>				

3 of 6



CHAIN OF CUSTODY

Lab Name
Address & Phone

EnviroTest Laboratories
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

REPORT# (Lab Use Only)

11507

PROJECT REFERENCE: C.J. Hooker Middle School
 ENVIROTEST PROJECT MANAGER: Debra Bayer
 CLIENT (SITE) PM: Jack DeGraw
 CLIENT NAME: Orange-Ulster BOCES
 CLIENT ADDRESS: 53 Gibson Road, Goshen, NY 10924
 COMPANY CONTRACTING THIS WORK (if applicable):

PROJECT LOCATION: Goshen, NY
 TOWN: Goshen, NY
 CLIENT PHONE: 845-781-4887
 CLIENT FAX:
 Please Email Results to: christy.fischer@outbores.org

MATRIX TYPE: 2
 PAGE 1 of 2

REQUIRED ANALYSES:
 40ml Vials HCl
 1Lter Amber HCl
 250ml Plastic Nitric Acid
 250ml Plastic Sulfuric Acid
 1Lter Plastic
 250ml Plastic
 Terra Core
 Other
 Other

TURNAROUND TIME: NORMAL Yes
 QUICK
 VERBAL

SAMPLE	SAMPLE IDENTIFICATION		COMPOSITE (C) OR GRAB (G) SAMPLE	AQUEOUS (WATER)	SOLID OR SEMI-SOLID	OTHER SPECIES	Total # of Containers	REQUIRED ANALYSES						# OF COOLERS	REMARKS
	DATE	TIME						40ml Vials HCl	1Lter Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	1Lter Plastic	250ml Plastic		
41	10/5/16	552	Water Cooler by 134	G	D		1	1						Lead (DW 200.8)	
42	10/5/16	544	Nurse Office Sink	G	D		1	1						Lead (DW 200.8)	
43	10/5/16	544	Nurse Ice Machine	G	D		1	1						Lead (DW 200.8)	
44	10/5/16	544	Nurse Bath Sink	G	D		1	1						Lead (DW 200.8)	
45	10/5/16	544	Main Office Bath Sink	G	D		1	1						Lead (DW 200.8)	
46	10/5/16	548	124 Women Faculty Bath Sink 1	G	D		1	1						Lead (DW 200.8)	
47	10/5/16	549	* Women Faculty Bath Sink 2	G	D		1	1						Lead (DW 200.8)	
48	10/5/16	553	134 Office Sink	G	D		1	1						Lead (DW 200.8)	
49	10/5/16	541	Library office Sink	G	D		1	1						Lead (DW 200.8)	
50	10/5/16	542	115 Boys Bath Sink	G	D		1	1						Lead (DW 200.8)	
51	10/5/16	540	Principals Bath Sink	G	D		1	1						Lead (DW 200.8)	
52	10/5/16	557	Boys Locker Room Sink 1	G	D		1	1						Lead (DW 200.8)	
53	10/5/16	557	Boys Locker Room Sink 2	G	D		1	1						Lead (DW 200.8)	
54	10/5/16	554	Womens Bath o/s Gym - Sink	G	D		1	1						Lead (DW 200.8)	
55	10/5/16	553	Mens Bath o/s Gym - Sink	G	D		1	1						Lead (DW 200.8)	
56	10/5/16	556	B-G Kitchen Sink	G	D		1	1						Lead (DW 200.8)	
57	10/5/16	555	B-G Bath Sink	G	D		1	1						Lead (DW 200.8)	
58	10/5/16	559	Maint Shop Water Cooler	G	D		1	1						Lead (DW 200.8)	
59	10/5/16	559	Maint Shop Handwash Sink	G	D		1	1						Lead (DW 200.8)	
60	10/5/16	603	Water Cooler o/s New Gym	G	D		1	1						Lead (DW 200.8)	

RELINQUISHED BY: (SIGNATURE) DATE TIME RECEIVED BY: (SIGNATURE) DATE TIME COMPANY

SAMPLE BY: (SIGNATURE) DATE TIME RECEIVED BY: (SIGNATURE) DATE TIME COMPANY

RELINQUISHED BY: (SIGNATURE) DATE TIME RECEIVED BY: (SIGNATURE) DATE TIME COMPANY

RECEIVED FOR LABORATORY BY: (SIGNATURE) DATE TIME CUSTODY INTACT YES/NO

LABORATORY REMARKS: ICE (Y/N) PH CL2 Revisited by

Cooler Temp (C): 25.0

4 of 6



CHAIN OF CUSTODY

REPORT# (Lab Use Only)

11502

EnviroTest Laboratories
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

PROJECT REFERENCE C.J. Hooker Middle School	PROJECT NO PO NUMBER	MATRIX TYPE	REQUIRED ANALYSES	PAGE 1 of 2
ENVIROTEST PROJECT MANAGER Debra Bayer	CLIENT PHONE 845-781-4887	PROJECT LOCATION GOSHEN, NY	40ml Vials HCl Liter Amber HCl 250ml Plastic Nitric Acid 250ml Plastic Sulfuric Acid Liter Plastic 250ml Plastic	TURNAROUND TIME
CLIENT (SITE) PM Jack DeGraw	CLIENT FAX	TOWN Goshen, NY	Other	NORMAL Yes
CLIENT NAME Orange-Ulster BOCES	Other	Other	Other	QUICK
CLIENT ADDRESS 53 Gibson Road, Goshen, NY 10924	Other	Other	Other	VERBAL
COMPANY CONTRACTING THIS WORK (if applicable)	Other	Other	Other	# OF COOLERS

SAMPLE NO	SAMPLE IDENTIFICATION		MATERIAL TYPE	NUMBER OF CONTAINERS SUBMITTED	REMARKS
	DATE	TIME			
61	10/5/16	603 141 Sink	G D	1	Lead (DW 200.8)
62	10/5/16	602 Girls PE Office Bathroom Sink	G D	1	Lead (DW 200.8)
63	10/5/16	559 Girls Locker Room Sink 1	G D	1	Lead (DW 200.8)
64	10/5/16	559 Girls Locker Room Sink 2	G D	1	Lead (DW 200.8)
65	10/5/16	600 Maint Shop Kitchen Sink	G D	1	Lead (DW 200.8)
66	10/5/16	538 Faculty Room Sink	G D	1	Lead (DW 200.8)
67	10/5/16	538 Faculty Room Mens Bath Sink	G D	1	Lead (DW 200.8)
68	10/5/16	538 Faculty Room Womens Bath Sink	G D	1	Lead (DW 200.8)
69	10/5/16	538 160 Teachers Desk Sink	G D	1	Lead (DW 200.8)
70	10/5/16	537 160 Prep Room Sink	G D	1	Lead (DW 200.8)
71	10/5/16	541 Girls Gang Bath o/s 104 Sink 1	G D	1	Lead (DW 200.8)
72	10/5/16	541 Girls Gang Bath o/s 104 Sink 2	G D	1	Lead (DW 200.8)
73	10/5/16	541 Girls Gang Bath o/s 104 Sink 3	G D	1	Lead (DW 200.8)
74	10/5/16	541 Girls Gang Bath o/s 104 Sink 4	G D	1	Lead (DW 200.8)
75	10/5/16	541 Girls Gang Bath o/s 104 Sink 5	G D	1	Lead (DW 200.8)
76	10/5/16	535 158 Sink 1	G D	1	Lead (DW 200.8)
77	10/5/16	535 158 Sink 2	G D	1	Lead (DW 200.8)
78	10/5/16	535 158 Sink 3	G D	1	Lead (DW 200.8)
79	10/5/16	535 157 Art Room Sink 1	G D	1	Lead (DW 200.8)
80	10/5/16	535 157 Art Room Sink 2	G D	1	Lead (DW 200.8)

RELINQUISHED BY (SIGNATURE)	DATE	COMPANY	RECEIVED BY (SIGNATURE)	DATE	COMPANY
<i>[Signature]</i>	10/5/16	BOCES	<i>[Signature]</i>	10/7/16	BOCES
RECEIVED FOR LABORATORY BY (SIGNATURE)	DATE	COMPANY	RECEIVED BY (SIGNATURE)	DATE	COMPANY
<i>[Signature]</i>	10/7/16	BOCES	<i>[Signature]</i>	10/7/16	BOCES
LABORATORY REMARKS: ICE (Y/N) PH (Y/N) CL2 (Y/N) Reviewed by			Cooler Temp (C): 25.0		

5 of 6



CHAIN OF CUSTODY

Lab Name
Address & Phone

EnviroTest Laboratories
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0880

REPORT# (Lab Use Only)

11502

PROJECT REFERENCE	CJ Hooker Middle School	PROJECT NO	
ENVIROTEST PROJECT MANAGER	Debra Bayer	PO NUMBER	
CLIENT (SITE) PM	Jack DeGraw	CLIENT PHONE	845-781-4887
CLIENT NAME	Orange-Ulster BOCES	CLIENT FAX	
CLIENT ADDRESS	Please Email Results to: christy.fischer@oubooces.org		
	53 Gibson Road, Goshen, NY 10924		
	COMPANY CONTRACTING THIS WORK (if applicable)		

PROJECT LOCATION	GOSHEN, NY
TOWN	Goshen, NY
COMPOSITE (C) OR GRAB (G) (W/CATE)	
LIQUID (WATER)	
LIQUID (WASTE WATER) (INDICATE)	
OTHER SECURITY	

MATRIX TYPE	
REQUIRED ANALYSES	
40ml Vials HCl	
Liter Amber HCl	
250ml Plastic Nitric Acid	
250ml Plastic Sulfuric Acid	
Liter Plastic	
250ml Plastic	
Terra Core	
Other	
Other	

SAMPLE #	SAMPLE IDENTIFICATION		DATE	TIME	COMPOSITE (C) OR GRAB (G) (W/CATE)	LIQUID (WATER)	LIQUID (WASTE WATER) (INDICATE)	OTHER SECURITY	Total # of Containers	REQUIRED ANALYSES						NUMBER OF CONTAINERS SUBMITTED	REMARKS
	DATE	TIME								40ml Vials HCl	Liter Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	Liter Plastic	250ml Plastic		
51	10/5/16	535	157 Art Room Slop Sink		G	D			1								Lead (DW 200.8)
52	10/5/16	532	Boys Bath o/s 157 Sink 1		G	D			1								Lead (DW 200.8)
53	10/5/16	532	Boys Bath o/s 157 Sink 2		G	D			1								Lead (DW 200.8)
54	10/5/16	533	Girls Bath o/s 157 Sink 1		G	D			1								Lead (DW 200.8)
55	10/5/16	533	Girls Bath o/s 157 Sink 2		G	D			1								Lead (DW 200.8)
56	10/5/16	531	Annex PPS Kitchen Sink		G	D			1								Lead (DW 200.8)
57	10/5/16	531	Annex PPS Bathroom Sink		G	D			1								Lead (DW 200.8)
58	10/5/16	525	Annex Computer Tech sink		G	D			1								Lead (DW 200.8)
59	10/5/16	527	Annex Woodshop Sink 1		G	D			1								Lead (DW 200.8)
60	10/5/16	527	Annex Woodshop Sink 2		G	D			1								Lead (DW 200.8)
61	10/5/16	526	Annex Woodshop Bath Sink		G	D			1								Lead (DW 200.8)
62	10/5/16	528	Science Prep o/s 153		G	D			1								Lead (DW 200.8)
63	10/5/16	529	153 Teachers Desk Sink		G	D			1								Lead (DW 200.8)
64	10/5/16	521	Kitchen Dishwash Sink 1		G	D			1								Lead (DW 200.8)
65	10/5/16	521	Kitchen Dishwash Sink 2		G	D			1								Lead (DW 200.8)
66	10/5/16	521	Kitchen Dishwash Sink 3		G	D			1								Lead (DW 200.8)
67	10/5/16	520	Kitchen Sink 4		G	D			1								Lead (DW 200.8)
68	10/5/16	520	Kitchen Sink 5		G	D			1								Lead (DW 200.8)
69	10/5/16	520	Kitchen Bathroom Sink		G	D			1								Lead (DW 200.8)
70	10/5/16	523	Cafeteria Bubbler		G	D			1								Lead (DW 200.8)

RELINQUISHED BY: (SIGNATURE)	DATE	TIME	CUSTOMER/INTEGRITY	DATE	TIME	YES/NO	LABORATORY REMARKS
<i>Christy Fischer</i>	10/16/16	1355	YES/NO	10/16/16	1355	YES/NO	ICE (Y/N) pH CL2 Reversed by
SAMPLED BY: (SIGNATURE)	DATE	TIME	COMPANY	RECEIVED BY: (SIGNATURE)	DATE	TIME	
<i>Christy Fischer</i>	10/15/16	535	EnviroTest	<i>Christy Fischer</i>	10/17/16	1:55	
PREPARED BY: (SIGNATURE)	DATE	TIME	COMPANY	RECEIVED BY: (SIGNATURE)	DATE	TIME	
<i>Christy Fischer</i>	10/17/16	1:55	EnviroTest	<i>Christy Fischer</i>	10/17/16	1:55	
RECEIVED FOR LABORATORY BY: (SIGNATURE)	DATE	TIME	COMPANY	RECEIVED BY: (SIGNATURE)	DATE	TIME	
<i>Debra Bayer</i>	10/16/16	1355	EnviroTest	<i>Christy Fischer</i>	10/17/16	1:55	

