

ANALYTICAL REPORT

Job Number: 420-111500-1

SDG Number: Goshen CSD-High School

Job Description: Orange-Ulster BOCES

For:

Orange-Ulster BOCES

53 Gibson Road

Goshen, NY 10924

Attention: Jack DeGraw

Meredith Ruthven

Meredith W Ruthven

Customer Service Manager

mruthven@envirotestlaboratories.com

11/07/2016

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified in the Certification Information section of this report. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

Job Narrative
420-J111500-1

Comments

Results are compared to NYSDOH drinking water standards other federal regulations may apply.

No additional comments.

Receipt

All samples were received in good condition within temperature requirements.

Metals

No analytical or quality issues were noted.

METHOD SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-111500-1
SDG Number: Goshen CSD-High School

Description	Lab Location	Method	Preparation Method
Matrix: Water			
ICPMS Metals by 200.8	EnvTest	EPA 200.8 Rev.5.4	
200 Series Drinking Water Prep Determination Step	EnvTest		EPA 200

Lab References:

EnvTest = EnviroTest

Method References:

EPA = US Environmental Protection Agency

METHOD / ANALYST SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-111500-1
SDG Number: Goshen CSD-High School

Method	Analyst	Analyst ID
EPA 200.8 Rev.5.4	Palentino, Gus J	GJP
EPA 200.8 Rev.5.4	Sirico, Derek	DS

SAMPLE SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-111500-1
SDG Number: Goshen CSD-High School

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-111500-1	GHS A-Wing Near 104A Men's gang Bath Sink 1	Drinking Water	10/05/2016 0412	10/07/2016 1400
420-111500-2	GHS A-Wing Near 104A Men's gang Bath Sink 2	Drinking Water	10/05/2016 0412	10/07/2016 1400
420-111500-3	GHS Water Cooler Outside 104A	Drinking Water	10/05/2016 0414	10/07/2016 1400
420-111500-4	GHS A-Wing Near 104A Women's Gang Bath Sink 1	Drinking Water	10/05/2016 0413	10/07/2016 1400
420-111500-5	GHS A-Wing Near 104A Women's Gang Bath Sink 2	Drinking Water	10/05/2016 0413	10/07/2016 1400
420-111500-6	GHS A106 Sink 1 (on left)	Drinking Water	10/05/2016 0417	10/07/2016 1400
420-111500-7	GHS A106 Sink 2	Drinking Water	10/05/2016 0417	10/07/2016 1400
420-111500-8	GHS A106 Sink 3	Drinking Water	10/05/2016 0417	10/07/2016 1400
420-111500-9	GHS A106 Sink 4	Drinking Water	10/05/2016 0417	10/07/2016 1400
420-111500-10	GHS A136 Sink	Drinking Water	10/05/2016 0419	10/07/2016 1400
420-111500-11	GHS Women's Gang Bath Outside A126 Sink 1	Drinking Water	10/05/2016 0420	10/07/2016 1400
420-111500-12	GHS Women's Gang Bath Outside A126 Sink 2	Drinking Water	10/05/2016 0420	10/07/2016 1400
420-111500-13	GHS Men's Bang Bath Outside A126 Sink 1	Drinking Water	10/05/2016 0421	10/07/2016 1400
420-111500-14	GHS Men's Bang Bath Outside A126 Sink 2	Drinking Water	10/05/2016 0421	10/07/2016 1400
420-111500-15	GHS Bubbler Outside A126	Drinking Water	10/05/2016 0422	10/07/2016 1400
420-111500-16	GHS Men's Gang bath Outside A200	Drinking Water	10/05/2016 0426	10/07/2016 1400
420-111500-17	GHS Women's Gang Bath Outside A200	Drinking Water	10/05/2016 0426	10/07/2016 1400
420-111500-18	GHS Water Cooler Outside A200	Drinking Water	10/05/2016 0426	10/07/2016 1400
420-111500-19	GHS A233 Teacher's Station Sink	Drinking Water	10/05/2016 0433	10/07/2016 1400
420-111500-20	GHS A233 Prep Room Sink	Drinking Water	10/05/2016 0433	10/07/2016 1400
420-111500-21	GHS Nurse's Office Sink	Drinking Water	10/05/2016 0456	10/07/2016 1400
420-111500-22	GHS Nurse Bath sink	Drinking Water	10/05/2016 0456	10/07/2016 1400
420-111500-23	GHS Women's Faculty Bath Outside A100 Sink	Drinking Water	10/05/2016 0453	10/07/2016 1400
420-111500-24	GHS Mn's Faculty Bath Outside A100 Sink	Drinking Water	10/05/2016 0453	10/07/2016 1400
420-111500-25	GHS A234 Teaching station sink	Drinking Water	10/05/2016 0436	10/07/2016 1400
420-111500-26	GHS A231 Teaching station sink	Drinking Water	10/05/2016 0437	10/07/2016 1400
420-111500-27	GHS A229 Prep Room sink	Drinking Water	10/05/2016 0439	10/07/2016 1400
420-111500-28	GHS A229 Teaching station sink	Drinking Water	10/05/2016 0439	10/07/2016 1400
420-111500-29	GHS Women's Faculty bath sink next to 227	Drinking Water	10/05/2016 0442	10/07/2016 1400

SAMPLE SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-111500-1
SDG Number: Goshen CSD-High School

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-111500-30	GHS Men's Faculty bath sink next to 227	Drinking Water	10/05/2016 0441	10/07/2016 1400
420-111500-31	GHS 227 Teaching station sink	Drinking Water	10/05/2016 0445	10/07/2016 1400
420-111500-32	GHS 227 Prep room sink	Drinking Water	10/05/2016 0446	10/07/2016 1400
420-111500-33	GHS A225 Prep room sink	Drinking Water	10/05/2016 0444	10/07/2016 1400
420-111500-34	GHS A230 Teaching station sink	Drinking Water	10/05/2016 0443	10/07/2016 1400
420-111500-35	GHS Men's Bath sink Outside A226	Drinking Water	10/05/2016 0448	10/07/2016 1400
420-111500-36	GHS Women's Bath sink Outside A226	Drinking Water	10/05/2016 0448	10/07/2016 1400
420-111500-37	GHS A228 teaching station sink	Drinking Water	10/05/2016 0447	10/07/2016 1400
420-111500-38	GHS Bubbler Outside A226	Drinking Water	10/05/2016 0449	10/07/2016 1400
420-111500-39	GHS A100 Sink	Drinking Water	10/05/2016 0455	10/07/2016 1400
420-111500-40	GHS A236 1st Sink on right	Drinking Water	10/05/2016 0428	10/07/2016 1400
420-111500-41	GHS Front Cafeteria Water Cooler	Drinking Water	10/05/2016 0456	10/07/2016 1400
420-111500-42	GHS Kitchen Dishwashing room Handwash Sink	Drinking Water	10/05/2016 0459	10/07/2016 1400
420-111500-43	GHS Kitchen Bathroom Sink	Drinking Water	10/05/2016 0502	10/07/2016 1400
420-111500-44	GHS Kitchen Prep Sink by kettle	Drinking Water	10/05/2016 0502	10/07/2016 1400
420-111500-45	GHS Kitchen Dishwashing Sink 1	Drinking Water	10/05/2016 0502	10/07/2016 1400
420-111500-46	GHS Kitchen Dishwashing Sink 2	Drinking Water	10/05/2016 0502	10/07/2016 1400
420-111500-47	GHS Kitchen handwash sink by freezer	Drinking Water	10/05/2016 0503	10/07/2016 1400
420-111500-48	GHS Kitchen Pot Filler Flex Hose	Drinking Water	10/05/2016 0504	10/07/2016 1400
420-111500-49	GHS Kitchen Rigid Faucet for Pot Filler	Drinking Water	10/05/2016 0504	10/07/2016 1400
420-111500-50	GHS Kitchen Sink by Coffee Pot	Drinking Water	10/05/2016 0504	10/07/2016 1400
420-111500-51	GHS Kitchen Serving Area Sink 1	Drinking Water	10/05/2016 0505	10/07/2016 1400
420-111500-52	GHS Kitchen Serving Area Sink 2	Drinking Water	10/05/2016 0504	10/07/2016 1400
420-111500-53	GHS Back Cafe Water Cooler	Drinking Water	10/05/2016 0508	10/07/2016 1400
420-111500-54	GHS Women's Bath at main Lobby sink 1	Drinking Water	10/05/2016 0452	10/07/2016 1400
420-111500-55	GHS Women's Bath at main Lobby sink 2	Drinking Water	10/05/2016 0452	10/07/2016 1400
420-111500-56	GHS Mens Bath Sink in Main Office	Drinking Water	10/05/2016 0454	10/07/2016 1400
420-111500-57	GHS Womens Bath Sink in Main Office	Drinking Water	10/05/2016 0453	10/07/2016 1400
420-111500-58	GHS Bubbler in main office	Drinking Water	10/05/2016 0455	10/07/2016 1400

SAMPLE SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-111500-1
SDG Number: Goshen CSD-High School

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-111500-59	GHS Water Cooler in Main Lobby Left	Drinking Water	10/05/2016 0450	10/07/2016 1400
420-111500-60	GHS Water Cooler in Main Lobby Right	Drinking Water	10/05/2016 0450	10/07/2016 1400
420-111500-61	GHS Men's Bath in Main Lobby Sink 1	Drinking Water	10/05/2016 0448	10/07/2016 1400
420-111500-62	GHS Men's Bath in Main Lobby Sink 2	Drinking Water	10/05/2016 0448	10/07/2016 1400
420-111500-63	GHS B102 Sink Teacher's Desk side	Drinking Water	10/05/2016 0444	10/07/2016 1400
420-111500-64	GHS B102 Sink Door Side	Drinking Water	10/05/2016 0444	10/07/2016 1400
420-111500-65	GHS B104 Sink Kiln Side	Drinking Water	10/05/2016 0442	10/07/2016 1400
420-111500-66	GHS B104 Sink Teachers Desk side	Drinking Water	10/05/2016 0442	10/07/2016 1400
420-111500-67	GHS Water cooler Right outside Weight Room	Drinking Water	10/05/2016 0437	10/07/2016 1400
420-111500-68	GHS Water cooler Left outside Weight Room	Drinking Water	10/05/2016 0437	10/07/2016 1400
420-111500-69	GHS Men's bath sink outside weight room	Drinking Water	10/05/2016 0440	10/07/2016 1400
420-111500-70	GHS Women's bath sink outside weight room	Drinking Water	10/05/2016 0440	10/07/2016 1400
420-111500-71	GHS ice Machine	Drinking Water	10/05/2016 0434	10/07/2016 1400
420-111500-72	GHS B110 Office Sink	Drinking Water	10/05/2016 0429	10/07/2016 1400
420-111500-73	GHS Girls Locker Room Sink at Bathroom Stall left	Drinking Water	10/05/2016 0432	10/07/2016 1400
420-111500-74	GHS Girls Locker Room Sink at Bath/shower right side	Drinking Water	10/05/2016 0433	10/07/2016 1400
420-111500-75	GHS Fan Room outside Hose bib connection	Drinking Water	10/05/2016 0425	10/07/2016 1400
420-111500-76	GHS Boys Locker Room Bath sinki	Drinking Water	10/05/2016 0422	10/07/2016 1400
420-111500-77	GHS Boys Locker Room Coaches Bath Sink	Drinking Water	10/05/2016 0422	10/07/2016 1400
420-111500-78	GHS Boys Locker Room Bubbler Left	Drinking Water	10/05/2016 0422	10/07/2016 1400
420-111500-79	GHS Boys Locker Room Bubbler Right	Drinking Water	10/05/2016 0422	10/07/2016 1400
420-111500-80	GHS Bubbler Left Outside B112	Drinking Water	10/05/2016 0418	10/07/2016 1400
420-111500-81	GHS Bubbler right Outside B112	Drinking Water	10/05/2016 0418	10/07/2016 1400
420-111500-82	GHS B128 Sink	Drinking Water	10/05/2016 0417	10/07/2016 1400
420-111500-83	GHS Womens Bath Sink Outside B128	Drinking Water	10/05/2016 0416	10/07/2016 1400
420-111500-84	GHS Mens Bath Sink Outside B130	Drinking Water	10/05/2016 0416	10/07/2016 1400
420-111500-85	GHS Water Cooler Outside B130	Drinking Water	10/05/2016 0414	10/07/2016 1400
420-111500-86	GHS B134 Sink	Drinking Water	10/05/2016 0412	10/07/2016 1400
420-111500-87	GHS B134 Water cooler	Drinking Water	10/05/2016 0412	10/07/2016 1400
420-111500-88	GHS custodial Office sink	Drinking Water	10/05/2016 0411	10/07/2016 1400

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS A-Wing Near 104A Men's gang Bath Sink 1
Lab Sample ID: 420-111500-1

Date Sampled: 10/05/2016 0412
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/31/2016 1709	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS A-Wing Near 104A Men's gang Bath Sink 2
Lab Sample ID: 420-111500-2

Date Sampled: 10/05/2016 0412
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/31/2016 1709	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Water Cooler Outside 104A
Lab Sample ID: 420-111500-3

Date Sampled: 10/05/2016 0414
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/31/2016 1712	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	1.20	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS A-Wing Near 104A Women's Gang Bath
Lab Sample ID: 420-111500-4

Date Sampled: 10/05/2016 0413
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/31/2016 1713	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	5.74	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS A-Wing Near 104A Women's Gang Bath
Lab Sample ID: 420-111500-5

Date Sampled: 10/05/2016 0413
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/31/2016 1713	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	1.72	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS A106 Sink 1 (on left)
Lab Sample ID: 420-111500-6

Date Sampled: 10/05/2016 0417
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/31/2016 1714	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	2.29	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS A106 Sink 2
Lab Sample ID: 420-111500-7

Date Sampled: 10/05/2016 0417
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/31/2016 1715	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	1.20	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS A106 Sink 3
Lab Sample ID: 420-111500-8

Date Sampled: 10/05/2016 0417
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/31/2016 1716	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS A106 Sink 4
Lab Sample ID: 420-111500-9

Date Sampled: 10/05/2016 0417
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/31/2016 1716	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	2.46	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS A136 Sink
Lab Sample ID: 420-111500-10

Date Sampled: 10/05/2016 0419
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	10/31/2016 1717	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	2.84	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Women's Gang Bath Outside A126 Sink 1
Lab Sample ID: 420-111500-11

Date Sampled: 10/05/2016 0420
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 0906	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	3.21	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Women's Gang Bath Outside A126 Sink 2
Lab Sample ID: 420-111500-12

Date Sampled: 10/05/2016 0420
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 0908	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	1.75	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Men's Bang Bath Outside A126 Sink 1
Lab Sample ID: 420-111500-13

Date Sampled: 10/05/2016 0421
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 0910	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	2.78	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Men's Bang Bath Outside A126 Sink 2
Lab Sample ID: 420-111500-14

Date Sampled: 10/05/2016 0421
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 0912	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	1.71	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Bubbler Outside A126
Lab Sample ID: 420-111500-15

Date Sampled: 10/05/2016 0422
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 0914	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	4.15	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Men's Gang bath Outside A200
Lab Sample ID: 420-111500-16

Date Sampled: 10/05/2016 0426
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 0921	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	2.18	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Women's Gang Bath Outside A200
Lab Sample ID: 420-111500-17

Date Sampled: 10/05/2016 0426
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 0927	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	1.26	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Water Cooler Outside A200
Lab Sample ID: 420-111500-18

Date Sampled: 10/05/2016 0426
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 0928	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS A233 Teacher's Station Sink
Lab Sample ID: 420-111500-19

Date Sampled: 10/05/2016 0433
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 0930	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	13.0	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS A233 Prep Room Sink
Lab Sample ID: 420-111500-20

Date Sampled: 10/05/2016 0433
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/01/2016 0932		
Prep Method: 200			Date Prepared: 10/31/2016 1130		
Pb	49.7 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Nurse's Office Sink
Lab Sample ID: 420-111500-21

Date Sampled: 10/05/2016 0456
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 0934	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	2.52	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Nurse Bath sink
Lab Sample ID: 420-111500-22

Date Sampled: 10/05/2016 0456
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 0936	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	1.82	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Women's Faculty Bath Outside A100 Sink
Lab Sample ID: 420-111500-23

Date Sampled: 10/05/2016 0453
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 0938	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	1.38	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Mn's Faculty Bath Outside A100 Sink
Lab Sample ID: 420-111500-24

Date Sampled: 10/05/2016 0453
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 0940	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	1.76	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS A234 Teaching station sink
Lab Sample ID: 420-111500-25

Date Sampled: 10/05/2016 0436
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 0941	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	56.5 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS A231 Teaching station sink
Lab Sample ID: 420-111500-26

Date Sampled: 10/05/2016 0437
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 0943	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	12.4	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS A229 Prep Room sink
Lab Sample ID: 420-111500-27

Date Sampled: 10/05/2016 0439
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution	
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 0949		
Prep Method: 200			Date Prepared:	10/31/2016 1130		
Pb	514	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS A229 Teaching station sink
Lab Sample ID: 420-111500-28

Date Sampled: 10/05/2016 0439
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/01/2016 0951		
Prep Method: 200			Date Prepared: 10/31/2016 1130		
Pb	21.8 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Women's Faculty bath sink next to 227
Lab Sample ID: 420-111500-29

Date Sampled: 10/05/2016 0442
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 0953	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	2.31	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Men's Faculty bath sink next to 227
Lab Sample ID: 420-111500-30

Date Sampled: 10/05/2016 0441
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 0955	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	1.00	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS 227 Teaching station sink
Lab Sample ID: 420-111500-31

Date Sampled: 10/05/2016 0445
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution	
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 0956		
Prep Method: 200			Date Prepared:	10/31/2016 1130		
Pb	302	g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS 227 Prep room sink
Lab Sample ID: 420-111500-32

Date Sampled: 10/05/2016 0446
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 0958	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	5.15	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS A225 Prep room sink
Lab Sample ID: 420-111500-33

Date Sampled: 10/05/2016 0444
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1000	
Prep Method: 200			Date Prepared:	10/31/2016 1130	
Pb	10.3	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS A230 Teaching station sink
Lab Sample ID: 420-111500-34

Date Sampled: 10/05/2016 0443
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/01/2016 1002		
Prep Method: 200			Date Prepared: 10/31/2016 1130		
Pb	261 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Men's Bath sink Outside A226
Lab Sample ID: 420-111500-35

Date Sampled: 10/05/2016 0448
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1004	
Prep Method: 200			Date Prepared:	10/31/2016 1300	
Pb	4.06	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Women's Bath sink Outside A226
Lab Sample ID: 420-111500-36

Date Sampled: 10/05/2016 0448
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1015	
Prep Method: 200			Date Prepared:	10/31/2016 1300	
Pb	12.1	ug/L	5.00	5.00	5.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS A228 teaching station sink
Lab Sample ID: 420-111500-37

Date Sampled: 10/05/2016 0447
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1017	
Prep Method: 200			Date Prepared:	10/31/2016 1300	
Pb	237 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Bubbler Outside A226
Lab Sample ID: 420-111500-38

Date Sampled: 10/05/2016 0449
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1019	
Prep Method: 200			Date Prepared:	10/31/2016 1300	
Pb	4.33	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS A100 Sink
Lab Sample ID: 420-111500-39

Date Sampled: 10/05/2016 0455
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1021	
Prep Method: 200			Date Prepared:	10/31/2016 1300	
Pb	1.25	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS A236 1st Sink on right
Lab Sample ID: 420-111500-40

Date Sampled: 10/05/2016 0428
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1023	
Prep Method: 200			Date Prepared:	10/31/2016 1300	
Pb	41.9 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Front Cafeteria Water Cooler
Lab Sample ID: 420-111500-41

Date Sampled: 10/05/2016 0456
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1025	
Prep Method: 200			Date Prepared:	10/31/2016 1300	
Pb	7.33	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Kitchen Dishwashing room Handwash
Lab Sample ID: 420-111500-42

Date Sampled: 10/05/2016 0459
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1026	
Prep Method: 200			Date Prepared:	10/31/2016 1300	
Pb	27.9 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Kitchen Bathroom Sink
Lab Sample ID: 420-111500-43

Date Sampled: 10/05/2016 0502
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1028	
Prep Method: 200			Date Prepared:	10/31/2016 1300	
Pb	3.02	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Kitchen Prep Sink by kettle
Lab Sample ID: 420-111500-44

Date Sampled: 10/05/2016 0502
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1034	
Prep Method: 200			Date Prepared:	10/31/2016 1300	
Pb	5.06	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Kitchen Dishwashing Sink 1
Lab Sample ID: 420-111500-45

Date Sampled: 10/05/2016 0502
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1036	
Prep Method: 200			Date Prepared:	10/31/2016 1300	
Pb	2.38	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Kitchen Dishwashing Sink 2
Lab Sample ID: 420-111500-46

Date Sampled: 10/05/2016 0502
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1038	
Prep Method: 200			Date Prepared:	10/31/2016 1300	
Pb	3.06	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Kitchen handwash sink by freezer
Lab Sample ID: 420-111500-47

Date Sampled: 10/05/2016 0503
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1040	
Prep Method: 200			Date Prepared:	10/31/2016 1300	
Pb	2.05	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Kitchen Pot Filler Flex Hose
Lab Sample ID: 420-111500-48

Date Sampled: 10/05/2016 0504
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1041	
Prep Method: 200			Date Prepared:	10/31/2016 1300	
Pb	44.6 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Kitchen Rigid Faucet for Pot Filler
Lab Sample ID: 420-111500-49

Date Sampled: 10/05/2016 0504
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1043	
Prep Method: 200			Date Prepared:	10/31/2016 1300	
Pb	5.24	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Kitchen Sink by Coffee Pot
Lab Sample ID: 420-111500-50

Date Sampled: 10/05/2016 0504
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1045	
Prep Method: 200			Date Prepared:	10/31/2016 1300	
Pb	3.76	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Kitchen Serving Area Sink 1
Lab Sample ID: 420-111500-51

Date Sampled: 10/05/2016 0505
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1047	
Prep Method: 200			Date Prepared:	10/31/2016 1300	
Pb	2.56	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Kitchen Serving Area Sink 2
Lab Sample ID: 420-111500-52

Date Sampled: 10/05/2016 0504
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1049	
Prep Method: 200			Date Prepared:	10/31/2016 1300	
Pb	13.8	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Back Cafe Water Cooler
Lab Sample ID: 420-111500-53

Date Sampled: 10/05/2016 0508
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1051	
Prep Method: 200			Date Prepared:	10/31/2016 1300	
Pb	9.06	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Women's Bath at main Lobby sink 1
Lab Sample ID: 420-111500-54

Date Sampled: 10/05/2016 0452
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1057	
Prep Method: 200			Date Prepared:	10/31/2016 1300	
Pb	1.54	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Women's Bath at main Lobby sink 2
Lab Sample ID: 420-111500-55

Date Sampled: 10/05/2016 0452
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1058	
Prep Method: 200			Date Prepared:	10/31/2016 1000	
Pb	3.00	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Mens Bath Sink in Main Office
Lab Sample ID: 420-111500-56

Date Sampled: 10/05/2016 0454
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1106	
Prep Method: 200			Date Prepared:	10/31/2016 1000	
Pb	2.70	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Womens Bath Sink in Main Office
Lab Sample ID: 420-111500-57

Date Sampled: 10/05/2016 0453
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1108	
Prep Method: 200			Date Prepared:	10/31/2016 1000	
Pb	1.45	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Bubbler in main office
Lab Sample ID: 420-111500-58

Date Sampled: 10/05/2016 0455
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1110	
Prep Method: 200			Date Prepared:	10/31/2016 1000	
Pb	1.60	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Water Cooler in Main Lobby Left
Lab Sample ID: 420-111500-59

Date Sampled: 10/05/2016 0450
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1112	
Prep Method: 200			Date Prepared:	10/31/2016 1000	
Pb	1.03	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Water Cooler in Main Lobby Right
Lab Sample ID: 420-111500-60

Date Sampled: 10/05/2016 0450
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/01/2016 1113		
Prep Method: 200			Date Prepared: 10/31/2016 1000		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Men's Bath in Main Lobby Sink 1
Lab Sample ID: 420-111500-61

Date Sampled: 10/05/2016 0448
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1119	
Prep Method: 200			Date Prepared:	10/31/2016 1000	
Pb	3.09	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Men's Bath in Main Lobby Sink 2
Lab Sample ID: 420-111500-62

Date Sampled: 10/05/2016 0448
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/01/2016 1121		
Prep Method: 200			Date Prepared: 10/31/2016 1000		
Pb	1.20	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS B102 Sink Teacher's Desk side
Lab Sample ID: 420-111500-63

Date Sampled: 10/05/2016 0444
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1123	
Prep Method: 200			Date Prepared:	10/31/2016 1000	
Pb	1.00	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS B102 Sink Door Side
Lab Sample ID: 420-111500-64

Date Sampled: 10/05/2016 0444
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1125	
Prep Method: 200			Date Prepared:	10/31/2016 1000	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS B104 Sink Kiln Side
Lab Sample ID: 420-111500-65

Date Sampled: 10/05/2016 0442
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1127	
Prep Method: 200			Date Prepared:	10/31/2016 1000	
Pb	1.04	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS B104 Sink Teachers Desk side
Lab Sample ID: 420-111500-66

Date Sampled: 10/05/2016 0442
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1129	
Prep Method: 200			Date Prepared:	10/31/2016 1000	
Pb	1.38	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Water cooler Right outside Weight Room
Lab Sample ID: 420-111500-67

Date Sampled: 10/05/2016 0437
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/01/2016 1130		
Prep Method: 200			Date Prepared: 10/31/2016 1000		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Water cooler Left outside Weight Room
Lab Sample ID: 420-111500-68

Date Sampled: 10/05/2016 0437
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1132	
Prep Method: 200			Date Prepared:	10/31/2016 1000	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Men's bath sink outside weight room
Lab Sample ID: 420-111500-69

Date Sampled: 10/05/2016 0440
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1134	
Prep Method: 200			Date Prepared:	10/31/2016 1000	
Pb	1.03	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Women's bath sink outside weight room
Lab Sample ID: 420-111500-70

Date Sampled: 10/05/2016 0440
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/01/2016 1136		
Prep Method: 200			Date Prepared: 10/31/2016 1000		
Pb	2.18	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS ice Machine
Lab Sample ID: 420-111500-71

Date Sampled: 10/05/2016 0434
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1142	
Prep Method: 200			Date Prepared:	10/31/2016 1000	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS B110 Office Sink
Lab Sample ID: 420-111500-72

Date Sampled: 10/05/2016 0429
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1144	
Prep Method: 200			Date Prepared:	10/31/2016 1000	
Pb	5.09	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Girls Locker Room Sink at Bathroom Stall
Lab Sample ID: 420-111500-73

Date Sampled: 10/05/2016 0432
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1146	
Prep Method: 200			Date Prepared:	10/31/2016 1000	
Pb	2.22	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Girls Locker Room Sink at Bath/shower
Lab Sample ID: 420-111500-74

Date Sampled: 10/05/2016 0433
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1147	
Prep Method: 200			Date Prepared:	10/31/2016 1000	
Pb	4.65	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Fan Room outside Hose bib connection
Lab Sample ID: 420-111500-75

Date Sampled: 10/05/2016 0425
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1149	
Prep Method: 200			Date Prepared:	10/31/2016 1840	
Pb	17.1 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Boys Locker Room Bath sinki
Lab Sample ID: 420-111500-76

Date Sampled: 10/05/2016 0422
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1157	
Prep Method: 200			Date Prepared:	10/31/2016 1840	
Pb	1.08	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Boys Locker Room Coaches Bath Sink
Lab Sample ID: 420-111500-77

Date Sampled: 10/05/2016 0422
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1159	
Prep Method: 200			Date Prepared:	10/31/2016 1840	
Pb	2.42	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Boys Locker Room Bubblers Left
Lab Sample ID: 420-111500-78

Date Sampled: 10/05/2016 0422
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1205	
Prep Method: 200			Date Prepared:	10/31/2016 1840	
Pb	3.88	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Boys Locker Room Bubblers Right
Lab Sample ID: 420-111500-79

Date Sampled: 10/05/2016 0422
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1207	
Prep Method: 200			Date Prepared:	10/31/2016 1840	
Pb	4.49	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Bubbler Left Outside B112
Lab Sample ID: 420-111500-80

Date Sampled: 10/05/2016 0418
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1208	
Prep Method: 200			Date Prepared:	10/31/2016 1840	
Pb	2.83	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Bubbler right Outside B112
Lab Sample ID: 420-111500-81

Date Sampled: 10/05/2016 0418
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1210	
Prep Method: 200			Date Prepared:	10/31/2016 1840	
Pb	4.53	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS B128 Sink
Lab Sample ID: 420-111500-82

Date Sampled: 10/05/2016 0417
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1212	
Prep Method: 200			Date Prepared:	10/31/2016 1840	
Pb	1.64	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Womens Bath Sink Outside B128
Lab Sample ID: 420-111500-83

Date Sampled: 10/05/2016 0416
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1214	
Prep Method: 200			Date Prepared:	10/31/2016 1840	
Pb	1.19	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Mens Bath Sink Outside B130
Lab Sample ID: 420-111500-84

Date Sampled: 10/05/2016 0416
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1216	
Prep Method: 200			Date Prepared:	10/31/2016 1840	
Pb	2.27	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS Water Cooler Outside B130
Lab Sample ID: 420-111500-85

Date Sampled: 10/05/2016 0414
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1218	
Prep Method: 200			Date Prepared:	10/31/2016 1840	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS B134 Sink
Lab Sample ID: 420-111500-86

Date Sampled: 10/05/2016 0412
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1220	
Prep Method: 200			Date Prepared:	10/31/2016 1840	
Pb	1.40	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS B134 Water cooler
Lab Sample ID: 420-111500-87

Date Sampled: 10/05/2016 0412
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 11/01/2016 1222		
Prep Method: 200			Date Prepared: 10/31/2016 1840		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-111500-1
Sdg Number: Goshen CSD-High School

Client Sample ID: GHS custodial Office sink
Lab Sample ID: 420-111500-88

Date Sampled: 10/05/2016 0411
Date Received: 10/07/2016 1400
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	11/01/2016 1227	
Prep Method: 200			Date Prepared:	10/31/2016 1840	
Pb	4.72	ug/L	1.00	1.00	1.0

DATA REPORTING QUALIFIERS

Client: Orange-Ulster BOCES

Job Number:
Sdg Number: Goshen CSD-High School

Lab Section	Qualifier	Description
Metals		
	g	Result fails applicable NYS drinking water standards
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Certification Information

Client: Orange-Ulster BOCES

Job Number:

Sdg Number: Goshen CSD-High School

The following analytes are Not Part of the ELAP scope of accreditation:

Sulfur, Tungsten, Silicon, Bicarbonate Alkalinity, 7 Day BOD 5210C, 28 Day BOD, Soluble BOD, Carbon Dioxide, Carbonate Alkalinity, CBOD Soluble, Chlorine, Cyanide (WAD), Ferrous Iron, Ferric Iron, Total Nitrogen, Total Organic Nitrogen, Dissolved Oxygen, pH, Phenolphthalein Alkalinity, Solids (Fixed), Solids (Percent), Solids (Percent Moisture), Solids (Percent Volatile), Solids (Volatile Suspended), Temperature, TKN (Soluble), Total Inorganic Carbon, Volatile Acids as Acetic Acid, 2-Aminopyridine, 3-Picoline, 1-Methyl-2-pyrrilidinone, Aziridine, Dimethyl sulfoxide, 1-Chlorohexane, Iron Bacteria, Salmonella, & Sulfur Reducing Bacteria.

The following analytes are Not Part of ELAP Potable Water scope of accreditation:

Cobalt (200.7, 200.8), Tin (200.7), Strontium (200.7), Gold (200.7), Platinum (200.7), Palladium (200.7), Titanium (200.7), Phosphorus (365.3), Nitrate-Nitrite (10-107-4-1C, 353.2), m-Xylene & p-Xylene (502.2, 524), Naphthalene (502.2), o-Xylene (502.2, 524), & Fecal Coliform (9222D).

The following analytes are Not Part of ELAP Solid and Hazardous Waste scope of accreditation:

Ammonia (SM 4500NH3G), TKN (351.2), Phosphorus (365.3), 1,2-Dichloro-1,1,2-trifluoroethane (8260), & Chlorodifluoromethane (8260).

The following analytes are Not Part of ELAP Non Potable Water scope of accreditation:

Dissolved Organic Carbon (5310C), Mecoprop (8151A), & MCPA (8151A).

Definitions and Glossary

Client: Orange-Ulster BOCES

Job Number:

Sdg Number: Goshen CSD-High School

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.



CHAIN OF CUSTODY

REPORT# (Lab Use Only)

11500

EnviroTest Laboratories
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

Lab Name
Address & Phone

PROJECT REFERENCE Goshen CSD - High School		PROJECT NO	PROJECT LOCATION	MATRIX TYPE	REQUIRED ANALYSES						PAGE 1 of 6			
ENVIROTEST PROJECT MANAGER Debra Bayer		PO NUMBER	TOWN	OTHER Specify	40ml Vials HCl	Liter Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	Liter Plastic	250ml Plastic	Terra Core	Other	Other	TURNAROUND TIME
CLIENT (SITE) / PM Jack DeGraw		CLIENT PHONE 845-781-4887	CLIENT FAX	AQUEOUS (WATER) SOLID OR SEMISOLID Drinking Water or W (Waste Water) Indicate	Total # of Containers	Liter Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	Liter Plastic	250ml Plastic	Terra Core	Other	Other	NORMAL
CLIENT NAME Orange-Ulster BOCES		christy.fischer@outbores.org		COMPOSITE (C) OR GRAB (G) / INCL. DATE	NUMBER OF CONTAINERS SUBMITTED								QUICK	VERBAL
CLIENT ADDRESS 53 Gibson Road, Goshen, NY 10924														
COMPANY CONTRACTING THIS WORK (if applicable)														
SAMPLE		SAMPLE IDENTIFICATION		TIME										
DATE	TIME													
10/5/16	412	GHS A-Wing Near 104A Men's Gang Bath Sink 1		G	1									Lead (DW 200.8)
10/5/16	412	GHS A-Wing Near 104A Men's Gang Bath Sink 2		G	1									Lead (DW 200.8)
10/5/16	414	GHS Water Cooler Outside 104A		G	1									Lead (DW 200.8)
10/5/16	413	GHS A-Wing Near 104A Women's Gang Bath Sink 1		G	1									Lead (DW 200.8)
10/5/16	413	GHS A-Wing Near 104A Women's Gang Bath Sink 2		G	1									Lead (DW 200.8)
10/5/16	417	GHS A106 Sink 1 (on left)		G	1									Lead (DW 200.8)
10/5/16	417	GHS A106 Sink 2		G	1									Lead (DW 200.8)
10/5/16	417	GHS A106 Sink 3		G	1									Lead (DW 200.8)
10/5/16	417	GHS A106 Sink 4		G	1									Lead (DW 200.8)
10/5/16	419	GHS A136 Sink		G	1									Lead (DW 200.8)
10/5/16	420	GHS Women's Gang Bath Outside A126 Sink 1		G	1									Lead (DW 200.8)
10/5/16	420	GHS Women's Gang Bath Outside A126 Sink 2		G	1									Lead (DW 200.8)
10/5/16	421	GHS Men's Gang Bath Outside A126 Sink 1		G	1									Lead (DW 200.8)
10/5/16	421	GHS Men's Gang Bath Outside A126 Sink 2		G	1									Lead (DW 200.8)
10/5/16	422	GHS Bubbler Outside A126		G	1									Lead (DW 200.8)
RELINQUISHED BY: (SIGNATURE)				DATE	TIME	RECEIVED BY: (SIGNATURE)				DATE	TIME			
<i>[Signature]</i>				10/5/16	4:12	<i>[Signature]</i>				10/5/16	4:12			
COMPANY				DATE	TIME	COMPANY				DATE	TIME			
outbores				10/5/16	3:00	outbores				10/7/16	3:00			
RELINQUISHED BY: (SIGNATURE)				DATE	TIME	RECEIVED BY: (SIGNATURE)				DATE	TIME			
<i>[Signature]</i>				10/7/16	14:00	<i>[Signature]</i>				10/7/16	14:00			
COMPANY				DATE	TIME	COMPANY				DATE	TIME			
outbores				10/7/16	14:00	outbores				10/7/16	14:00			
RECEIVED BY: (SIGNATURE)				DATE	TIME	RECEIVED BY: (SIGNATURE)				DATE	TIME			
<i>[Signature]</i>				10/7/16	14:00	<i>[Signature]</i>				10/7/16	14:00			
COMPANY				DATE	TIME	COMPANY				DATE	TIME			
outbores				10/7/16	14:00	outbores				10/7/16	14:00			
LABORATORY REMARKS: ICE (Y/N) / PH / CL2 / Reversed by														
Cooler Temp(C): 25.0														

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15

Lab Name: EnviroTest Laboratories
 Address & Phone: 318 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

PROJECT REFERENCE: Goshen CSD - High School		PROJECT LOCATION: GOSHEN		MATRIX TYPE: DRINKING WATER / WASHABLE WATER / INDUSTRIAL		REQUIRED ANALYSES: 40ml Vials HCl, Liter Amber HCl, 250ml Plastic Nitric Acid, 250ml Plastic Sulfuric Acid, Liter Plastic, 250ml Plastic		PAGE 2 of 6	
ENVIROTEST PROJECT MANAGER: Debra Bayer		CLIENT PHONE: 845-781-4887		CLIENT FAX: 845-781-4887		Terra Core		TURNAROUND TIME	
CLIENT (SITE) PM: Jack DeGraw		CLIENT NAME: Orange-Ulster BOCES		CLIENT EMAIL: christy.fischer@oubooces.org		Other		NORMAL	
CLIENT ADDRESS: 53 Gibson Road, Goshen, NY 10924		PROJECT NO: P.O. NUMBER		COMPOSITE (C) OR GRAB (G) INDICATE		Other		QUICK	
COMPANY CONTRACTING THIS WORK (if applicable):		SAMPLE IDENTIFICATION		DATE		NUMBER OF CONTAINERS SUBMITTED		VERBAL	
		DATE		TIME		# OF COOLERS			
		10/5/16		426		GHS Men's Gang Bath Outside A200		1	
		10/5/16		426		GHS Women's Gang Bath Outside A200		1	
		10/5/16		426		GHS Water Cooler Outside A200		1	
		10/5/16		433		GHS A233 Teacher's Station Sink		1	
		10/5/16		433		GHS A233 Prep Room Sink		1	
		10/5/16		456		GHS Nurse's Office Sink		1	
		10/5/16		456		GHS Nurse Bath Sink		1	
		10/5/16		453		GHS Women's Faculty Bath Outside A100 Sink		1	
		10/5/16		453		GHS Men's Faculty Bath Outside A100 Sink		1	
		10/5/16		436		GHS A234 Teaching Station Sink		1	
		10/5/16		437		GHS A231 Teaching Station Sink		1	
		10/5/16		439		GHS A229 Prep Room Sink		1	
		10/5/16		439		GHS A229 Teaching Station Sink		1	
		10/5/16		442		GHS Women's Faculty Bath Sink Next to 227		1	
		10/5/16		441		GHS Men's Faculty Bath Sink Next to 227		1	

RECEIVED FOR LABORATORY BY: (SIGNATURE)		DATE		TIME		CUSTODY INTACT		COOLER TEMP (C)	
<i>[Signature]</i>		10/7/16		1450		YES		25.0	
RECEIVED BY: (SIGNATURE)		DATE		TIME		RECEIVED BY: (SIGNATURE)		DATE	
<i>[Signature]</i>		10/5/16		4:26		<i>[Signature]</i>		DATE	
RECEIVED BY: (SIGNATURE)		DATE		TIME		RECEIVED BY: (SIGNATURE)		DATE	
<i>[Signature]</i>		10/7/16		2:00		<i>[Signature]</i>		DATE	

LABORATORY REMARKS: ICE (Y/N) pH CL2 Revisited by: *[Signature]*



CHAIN OF CUSTODY

REPORT# (Lab Use Only)

11500

EnviroTest Laboratories
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

PROJECT REFERENCE: Goshen CSD - High School
 ENVIROTEST PROJECT MANAGER: Debra Bayer
 CLIENT (SITE)/PM: Jack DeGraw
 CLIENT NAME: Orange-Ulster BOGES
 CLIENT ADDRESS: 53 Gibson Road, Goshen, NY 10924
 COMPANY CONTRACTING THIS WORK (if applicable):

PROJECT LOCATION: TOWN: CLIENT FAX: CLIENT PHONE: 845-781-4887
 CLIENT EMAIL: christy.fischer@ouboces.org

REQUIRED ANALYSES:
 40ml Vials HCl
 Liter Amber HCl
 250ml Plastic Nitric Acid
 250ml Plastic Sulfuric Acid
 Liter Plastic
 250ml Plastic
 Terra Core
 Other
 Other

PAGE of 36
 1
 TURNAROUND TIME
 NORMAL
 QUICK
 VERBAL
 # OF COOLERS

SAMPLE	DATE	TIME	SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) (MARK)	MATRIX TYPE	OTHER SPECIFY	NUMBER OF CONTAINERS SUBMITTED								REMARKS	
							40ml Vials HCl	Liter Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	Liter Plastic	250ml Plastic	Terra Core	Other		Other
31	10/5/16	445	GHS 227 Teaching Station Sink	G	D										1	Lead (DW 200.8)
32	10/5/16	446	GHS 227 Prep Room Sink	G	D										1	Lead (DW 200.8)
33	10/5/16	444	GHS A225 Prep Room Sink	G	D										1	Lead (DW 200.8)
34	10/5/16	443	GHS A230 Teaching Station Sink	G	D										1	Lead (DW 200.8)
35	10/5/16	448	GHS Men's Bath Sink Outside A226	G	D										1	Lead (DW 200.8)
36	10/5/16	448	GHS Women's Bath Sink Outside A226	G	D										1	Lead (DW 200.8)
37	10/5/16	447	GHS A228 Teaching Station Sink	G	D										1	Lead (DW 200.8)
38	10/5/16	449	GHS Bubbler Outside A226	G	D										1	Lead (DW 200.8)
39	10/5/16	455	GHS A100 Sink	G	D										1	Lead (DW 200.8)
40	10/5/16	428	GHS A236 1st Sink on right	G	D										1	Lead (DW 200.8)
41	10/5/16	456	GHS Front Cafeteria Water Cooler	G	D										1	Lead (DW 200.8)
42	10/5/16	459	GHS Kitchen Dishwashing Room Handwash Sink	G	D										1	Lead (DW 200.8)
43	10/5/16	502	GHS Kitchen Bathroom Sink	G	D										1	Lead (DW 200.8)
44	10/5/16	502	GHS Kitchen Prep Sink by Kettle	G	D										1	Lead (DW 200.8)
45	10/5/16	502	GHS Kitchen Dishwashing Sink 1	G	D										1	Lead (DW 200.8)

RECEIVED BY (SIGNATURE): [Signature]
 DATE: 10/5/16
 COMPANY: BOGES

RECEIVED BY (SIGNATURE): [Signature]
 DATE: 10/14/16
 COMPANY: BOGES

RECEIVED BY (SIGNATURE): [Signature]
 DATE: 10/14/16
 COMPANY: BOGES

LABORATORY REMARKS: ICE (Y/N) / PH: 25.0
 COOLER TEMP (C): 25.0



CHAIN OF CUSTODY

REPORT# (Lab Use Only)

11500

EnviroTest Laboratories
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

Lab Name
Address & Phone

PROJECT REFERENCE Goshen CSD - High School		PROJECT NO.	PROJECT LOCATION	MATRIX TYPE	REQUIRED ANALYSES						PAGE 16 of 1		
ENVIROTEST PROJECT MANAGER Debra Bayer		PO NUMBER	TOWN	SOLID OR SEMISOLID D (Drinking Water) or W (Waste Water) indicate AQUEOUS (WATER) COMPOSITE (C) OR GRAB (G) INDICATE OTHER Specify	40ml Vials HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic Sulfuric Acid	Liter Plastic	Terra Core	Other	Other	
CLIENT (SITE) PM Jack DeGraw		CLIENT PHONE 845-781-4887	CLIENT FAX		Total # of Containers	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic Sulfuric Acid	Liter Plastic	Terra Core	Other	Other	TURNAROUND TIME
CLIENT NAME Orange-Ulster BOCES		christy.fischer@oubooces.org			40ml Vials HCl	Liter Plastic	250ml Plastic Sulfuric Acid	Liter Plastic	Terra Core	Other	Other	NORMAL	
CLIENT ADDRESS 53 Gibson Road, Goshen, NY 10924					40ml Vials HCl	Liter Plastic	250ml Plastic Sulfuric Acid	Liter Plastic	Terra Core	Other	Other	QUICK	
COMPANY CONTRACTING THIS WORK (if applicable)					40ml Vials HCl	Liter Plastic	250ml Plastic Sulfuric Acid	Liter Plastic	Terra Core	Other	Other	VERBAL	
SAMPLE IDENTIFICATION		DATE		TIME	NUMBER OF CONTAINERS SUBMITTED						#OF COOLERS	REMARKS	
10/5/16 502		10/5/16		5:02	1	1	1	1	1	1	1	1	Lead (DW 200.8)
10/5/16 503		10/5/16		5:02	1	1	1	1	1	1	1	1	Lead (DW 200.8)
10/5/16 504		10/5/16		5:02	1	1	1	1	1	1	1	1	Lead (DW 200.8)
10/5/16 504		10/5/16		5:04	1	1	1	1	1	1	1	1	Lead (DW 200.8)
10/5/16 504		10/5/16		5:04	1	1	1	1	1	1	1	1	Lead (DW 200.8)
10/5/16 505		10/5/16		5:05	1	1	1	1	1	1	1	1	Lead (DW 200.8)
10/5/16 504		10/5/16		5:04	1	1	1	1	1	1	1	1	Lead (DW 200.8)
10/5/16 508		10/5/16		5:08	1	1	1	1	1	1	1	1	Lead (DW 200.8)
10/5/16 452		10/5/16		4:52	1	1	1	1	1	1	1	1	Lead (DW 200.8)
10/5/16 452		10/5/16		4:52	1	1	1	1	1	1	1	1	Lead (DW 200.8)
10/5/16 454		10/5/16		4:54	1	1	1	1	1	1	1	1	Lead (DW 200.8)
10/5/16 453		10/5/16		4:53	1	1	1	1	1	1	1	1	Lead (DW 200.8)
10/5/16 455		10/5/16		4:55	1	1	1	1	1	1	1	1	Lead (DW 200.8)
10/5/16 450		10/5/16		4:50	1	1	1	1	1	1	1	1	Lead (DW 200.8)
10/5/16 450		10/5/16		4:50	1	1	1	1	1	1	1	1	Lead (DW 200.8)

RELINQUISHED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME
<i>[Signature]</i>	10/5/16	5:02	<i>[Signature]</i>	10/5/16	5:02
RELINQUISHED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME
<i>[Signature]</i>	10/5/16	2:00	<i>[Signature]</i>	10/5/16	2:00
RECEIVED FOR ANALYSIS BY: (SIGNATURE)	DATE	TIME	CUSTOMER INTACT	COOLER TEMP (°C)	LABORATORY REMARKS
<i>[Signature]</i>	10/11/16	1400	YES	85.0	ICE W. N. / pH CL2

EnviroTest Laboratories, Inc.

CHAIN OF CUSTODY

111500

REPORT# (Lab Use Only)

EnviroTest Laboratories
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

Lab Name
Address & Phone

PROJECT REFERENCE		PROJECT LOCATION		MATRIX TYPE		REQUIRED ANALYSES							PAGE 66														
Goshen CSD - High School		TOWN		SOLID OR SEMISOLID		250ml Plastic Nitric Acid							1														
ENVIROTEST PROJECT MANAGER Debra Bayer		CLIENT FAX		LIQUID OR SEMISOLID		250ml Plastic Sulfuric Acid							TURNAROUND TIME														
CLIENT SITE / PM Jack DeGraw		845-781-4887		AQUEOUS WATER		Liter Plastic							NORMAL														
CLIENT NAME Orange-Ulster BOCES		christy.fischer@oubooces.org		COMPOSITE (C) OR GRAB (G) SAMPLE		Liter Amber HCl							QUICK														
CLIENT ADDRESS 53 Gibson Road, Goshen, NY 10924						40ml Vials HCl							VERBAL														
COMPANY CONTRACTING THIS WORK (if applicable)						Total # of Containers																					
SAMPLE		SAMPLE IDENTIFICATION		TIME		NUMBER OF CONTAINERS SUBMITTED							REMARKS														
DATE	TIME	DATE	TIME	DATE	TIME	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20		
10/5/16	422	GHS Boys Locker Room Bath Sink		G	D	1																					Lead (DW 200.8)
10/5/16	422	GHS Boys Locker Room Coaches Bath Sink		G	D	1																					Lead (DW 200.8)
10/5/16	422	GHS Boys Locker Room Bubbler Left		G	D	1																					Lead (DW 200.8)
10/5/16	422	GHS Boys Locker Room Bubbler Right		G	D	1																					Lead (DW 200.8)
10/5/16	418	GHS Bubbler Left outside B112		G	D	1																					Lead (DW 200.8)
10/5/16	418	GHS Bubbler Right outside B112		G	D	1																					Lead (DW 200.8)
10/5/16	417	GHS B128 Sink		G	D	1																					Lead (DW 200.8)
10/5/16	416	GHS Womens Bath Sink Outside B128		G	D	1																					Lead (DW 200.8)
10/5/16	416	GHS Mens Bath Sink Outside B130		G	D	1																					Lead (DW 200.8)
10/5/16	414	GHS Water Cooler Outside B130		G	D	1																					Lead (DW 200.8)
10/5/16	412	GHS B134 Sink		G	D	1																					Lead (DW 200.8)
10/5/16	412	GHS B134 Water Cooler		G	D	1																					Lead (DW 200.8)
10/5/16	411	GHS Custodial Office Sink		G	D	1																					Lead (DW 200.8)
10/5/16				G	D	1																					Lead (DW 200.8)

RECEIVED FOR LABORATORY BY (SIGNATURE)
 DATE 10/16/16 TIME 1400
 RECEIVED BY (SIGNATURE)
 DATE 10/15/16 TIME 4:22
 RECEIVED BY (SIGNATURE)
 DATE 10/17/16 TIME 2:00
 COOLER TEMP (C) 85.0
 LABORATORY REMARKS: ICE (Y/N) pH CL2
 REVIEWED BY

LOGIN SAMPLE RECEIPT CHECK LIST

Client: Orange-Ulster BOCES

Job Number: 420-111500-1
SDG Number: Goshen CSD-High School

Login Number: 111500

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	
Cooler Temperature is recorded.	True	25.0 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	False	
If false, was sample received on ice within 6 hours of collection.	False	
Based on above criteria cooler temperature is acceptable.	True	Method does not require cooling
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	